



COLUMN SCHEDULE

MEMBER	FLOOR	SIZE(m.)	REINF. BAR	REMARK
CX1	GROUND-2ND	0.20x0.20m.	4Y12,R#0.15	(ON BEAM)
C1	FL.-ROOF	0.20x0.20m.	4Y12,R#0.15	
C2	FL.-ROOF	0.20x0.20m.	4Y16,R#0.15	
C3	FL.-2ND	0.20x0.40m.	6Y16,2R#0.15	
	2ND-ROOF	0.20x0.20m.	4Y16,R#0.15	
C4	FL.-GROUND	0.20x0.40m.	6Y20,2R#0.15	
	GROUND-ROOF	0.20x0.20m.	4Y20,R#0.15	

BEAM SCHEDULE

MEMBER	SIZE(m.)
B1	0.20x0.50m.
B2	0.20x0.40m.
B3	0.20x0.60m.
B4	0.20x0.50m.
B5	0.20x0.40m.
B6	0.20x0.40m.
B7	0.20x0.40m.
B8	0.20x0.40m.
B9	0.20x0.40m.
B10	0.20x0.40m.
B11	0.20x0.80m.
B12	0.20x0.40m.
SBI	0.20x0.30m.

แปลนคานาพื้นชั้นล่าง
 1:100
 หมายเหตุ: แสดงตำแหน่งบันได, ลิฟต์, ประตู

รูปตัด 1-1
 1:50